



Exclusive to Ceratile

Terrazzo tile

# A Story That Returns to Amaze


Over the centuries, Venetian terrazzo has established itself as one of the most original creations of the Italian artisan school, bringing prestige to villas and palaces of extraordinary beauty in the Veneto, Italy, and the rest of the world.





# VENICE VILLA

full body



With its two souls, Venice and Rialto—characterized by two different dimensional interpretations of the grain that animates and makes the surfaces unique—

the Venice Villa collection reinterprets this noble tradition with a contemporary sensibility.

A collection that ensures an eclectic and versatile design, in line with the most advanced stylistic trends, in the most exclusive residential and commercial contexts.

03

## A STUNNING HISTORIC REVIVAL

Over the centuries, the Venetian terrazzo tile has earned a reputation as one of the most original craft creations of the Italian school, bringing prestige to villas and palazzos with extraordinary beauty in Italy's Veneto region and the world over. With two options - Venice and Rialto (differing in terms of the size of the chips that make the material so unique) - the Venice Villa collection reworks this noble tradition from a contemporary angle.

A collection that guarantees an eclectic, versatile design, channeling up-to-the minute style trends, in the most exclusive settings spanning homes and businesses.

## A HISTORY HERE RECOMMENCE TO SURPRISE

Over the centuries, the terrace has been imposed as one of the most original creations of the Italian Artisan School, giving luster to villas and palaces of extraordinary beauty in Venice, in Italy and in the rest of the world. With the two examples Venice and Rialto - characterized by two different interpretations of the grain which animate the surfaces in their unique features - the Venice Villa collection interprets this noble tradition with a contemporary sensibility. A collection here ensures an éctectique and polyvalent design, online with the most advanced stylistic trends, in the most exclusive residential and commercial contexts.

## DIE GESCHICHTE, DIE WIEDER ERSTAUNEN HERVORRUFT

Im Laufe der Jahrhunderte hat sich die venezianische Terrasse als eine der ursprünglichsten Schöpfungen der Schule des Italian Handwerks durchgesetzt und hat Villen und Palazzi von außerordentlicher Schönheit in Venedig, in Italien und der ganzen





A material that is homogeneous throughout.  
A solid material which makes no distinction  
between outer surface and core, made with  
interpenetrating mixes of different colors.



The image displays two different terrazzo flooring designs. The top sample, labeled 'RIALTO', features a light beige base with a dense distribution of small, dark black and orange-brown aggregate chips. The bottom sample, labeled 'VENICE', has a similar light beige base but with larger, more irregular patches of orange-brown and black aggregate. Both samples are shown as thick, rectangular slabs with a visible side profile, highlighting the depth of the aggregate. The background is a larger area of the 'VENICE' pattern.

**RIALTO**

full body



**VENICE**



full body  
process

06

1



**ONLY NATURAL  
RAW MATERIALS.**

Slabs are made exclusively from prestigious minerals and clays, extracted and worked using sustainable methods.

Earth, water and fire: no solvents, resins or chemical additives.



2

Widest body colors

**INFINITE TEXTURES AND  
COLOURFUL FRAGMENTS.**

Each slab is distinguished  
by its singular variety of colours  
and grain sizes:  
the marble-effect fragments  
stand out like jewels, lending an  
exciting uniqueness to elegant  
personal combinations.





full body



process

Authentic variation

08

3

**RANDOM MIXING FOR AN  
EVER-NEW LOOK.**

Plus authentic variation  
Multiple colored mixes are  
randomly blended to create a  
unique, unrepeatable mix in  
every slab. A system of patented  
technologies reproduces the  
randomness of nature and  
handmade objects.





**PRESSURE AND FIRE:  
AN EXCEPTIONALLY SOLID  
MATERIAL.**

Plus strongest full body  
Powerful presses compact  
the slabs; ultra-high firing  
temperatures irreversibly weld  
and fuse the minerals to create  
a new material: hard, compact,  
impermeable, rock solid.



full body



## PROCESSING WITH VISIBLE THICKNESSES

Full thickness workable edges ensure  
solid and well-finished finishes



COSTA RETTA SQUADRATA  
SQUARED STRAIGHT EDGE  
GERADE QUADRATISCHE KANTE  
CHANT LIGNE ÉQUARRIE



COSTA 45° SQUADRATA  
SQUARED 45° EDGE  
QUADRATISCHE 45° KANTE  
CHANT ÉQUARRIE À 45°



**PROCESSES WITH VISIBLE THICKNESS.**

The edges can be machined at full thickness guarantee solid and well-finished finishes.





# MORE FORMATS, BIGGER.

New and important formats,  
unprecedented for full-body  
technologies, increase  
versatility of use and further  
highlight  
the natural beauty of the  
material.

NEW SIZE



150x75  
60"x30"

NEW SIZE



120x120  
48"x48"



120x60  
48"x24"



MORE FORMATS.  
BIGGER SIZES.

Majestic new sizes, a first for  
full-body technology, increase  
versatility of use and further  
highlight the natural beauty of  
the material.

NEW SIZE



75x75  
30"x30"



60x60  
24"x24"



60x30  
24"x12"



20x20  
8"x8"





# VENICE

## FINISHING

---

### NATURALE

White. Zinc. Silver. Grey. Ivory.  
Earth. Beige. Graphite. Pink. Green.  
Coral. Yellow. Blue.

### LEVIGATO

White. Zinc. Silver. Grey. Ivory.  
Earth. Beige. Graphite. Pink.  
Green. Coral. Yellow. Blue.

### STRUTTURATO

White. Zinc. Silver. Grey. Ivory.  
Earth. Beige. Graphite.



## RIALTO

### NATURALE

White. Zinc. Silver. Ivory. Earth.  
Graphite. Pink. Green. Coral.  
Yellow. Blue.

### LEVIGATO


White. Zinc. Silver. Ivory. Earth.  
Graphite. Pink. Green. Coral.  
Yellow. Blue.

### SABBIATO

White. Zinc. Silver. Ivory.  
Earth. Graphite.









VENICE RIALTO\*

**PINK**

VENICE RIALTO\*

**CORAL**


VENICE RIALTO\*

**YELLOW**

VENICE RIALTO\*

**GREEN**

full body



**VENICE**

**COLORS**

**RIALTO**

VENICE RIALTO\*

**BLUE**

Available on request



## ILLUMINATING G BEAUTY

A color variant  
with a striking  
luminous effect  
that captures  
and reflects light  
with ever-  
changing  
nuances.

Character and  
style for  
commercial  
spaces inspired  
by the latest  
design trends.

18



FLOOR:  
Venice White 120x60 naturale.



VENICE

WHITE

RIALTO

ENLIGHTENING BEAUTY

A colour option with an alluring brightness that captures and reflects light with ever-changing nuances. Character and style for business spaces inspired by the latest design trends.










FLOOR: Venice White 120x60 naturale.

**VENICE WHITE**





FLOOR: Rialto White 60x60 naturale. Rialto White 20x20 levigato . Rialto Silver 20x20 levigato. WALL: Rialto Silver 60x60 sabbiato. Gradino L60 Rialto Silver 60x30

**RIALTO WHITE**








## METALLIC SUGGESTIONS

A color with a subtle metallic feel, in which the richness of the graphics tends to blend into the surface. The ideal background for pairing with other shades with a more assertive look and design objects with a strong, essential personality.

WALL:  
Venice Zinc 120x60 levigato.

FLOOR:  
Venice Beige 60x60 naturale.





VENICE

RIALTO

# ZINC


## METALLIC SUGGESTIONS

A colour option with a slightly metallic flavour and intricate pattern that blends beautifully with the base colour. The ideal background for combinations with other - bolder - tones and design-led objects with a strong personality and essential lines.









WALL: Venice Zinc 120x60 levigato. FLOOR: Venice Beige 60x60 naturale.

**VENICE ZINC**









FLOOR: Rialto Zinc, Rialto Earth 150x75 levigato. WALL: Rialto Earth 150x75 levigato. Maxfine Extra White 150x300 lucidato

**RIALTO ZINC**



VIVID  
SOBRIETY  
Classic elegance  
reinterpreted  
with a vivid and  
understated  
accent.  
To infuse a  
captivating  
contemporary  
personality even  
in residential  
settings steeped  
in history and  
tradition.

FLOOR:  
Venice Silver 120x60 naturale.  
Battiscopa Venice Silver 7x60 naturale.







VENICE

RIALTO

# SILVER

## VIVID SOBRIETY

Classic elegance with dramatic restraint  
To infuse even the most historical settings, steeped  
in tradition, with contemporary personality  
and allure.





FLOOR: Venice Silver 120x60 naturale. Battiscopa Venice Silver 7x60 naturale.

**VENICE SILVER**







CONTINUITY  
OF STYLE

The austere  
elegance of the  
past lives on in  
a material with a  
modern and  
vibrant spirit,  
perfect for  
creating  
fascinating  
stylistic  
continuity  
effects between  
floors and  
walls..

FLOOR:  
Venice Grey 120x120 levigato,  
Rialto Graphite 120x120 levigato.

FLOOR OUTDOOR:  
Venice Grey 60x60 strutturato.

BACKSPLASH: Venice Grey levigato.







VENICE

**GREY**

CONTINUITY OF STYLE

The austere elegance of the past is brought back to life in this contemporary material with a dynamic soul, ideal to create stunning and seamless continuity between floors and walls.



FLOOR: Venice Grey 120x120 levigato. Rialto Graphite 120x120 levigato.  
FLOOR OUTDOOR: Venice Grey 60x60 strutturato. BACKSPLASH: Venice Grey levigato.

**VENICE GREY**









COLOR YOUR DAY

A proposal designed to add a touch of warm, vibrant color to modern living and dwelling spaces, even in the most sophisticated settings dedicated to hospitality and hospitality.



FLOOR:  
Venice Ivory 75x75 naturale  
WALL:  
Venice Ivory 150x75 levigato



VENICE

RIALTO

# IVORY

## COLOR YOUR DAYLIFE

An offering designed to lend colour, warmth, and vivacity to modern living spaces, even in the most sophisticated hospitality facilities.





FLOOR: Venice Ivory 75x75 naturale - Rialto Graphite levigato. WALL: Maxfine Venice Ivory levigato 270x120 - Rialto Zinc - Rialto Graphite levigato

**VENICE IVORY**














FLOOR: Rialto Ivory 60x60 levigato.

**RIALTO IVORY**



WARM  
EMBRACE  
Enveloping  
nuances inspired  
by warm earth  
tones, for  
original design  
solutions that  
also include  
color  
combinations.  
Refined and  
comfortable  
elegance for  
large spaces.



FLOOR:  
Venice Earth 60x60 levigato.  
Venice Beige 60x60 levigato.





VENICE

RIALTO

# EARTH

## WARM EMBRACE

Embracing nuances inspired by warm earthy tones make for original design solutions that can also feature combined colours. Refined yet comfortable elegance for large areas.

VENICE

RIALTO









FLOOR: Venice Earth 60x60 levigato, Venice Beige 60x60 levigato, FLOOR OUTDOOR: Venice Beige 60x60 strutturato.

**VENICE EARTH**









FLOOR: Rialto Earth 120x120 levigato. BOISERIE: Rialto Ivory 150x75 naturale. COUNTER and TABLES: Venice Ivory levigato.

**RIALTO EARTH**



WELCOMING  
ATMOSPHERES  
A tastefully  
understated  
offering, warmed  
by subtle  
reflections,  
which radiate  
throughout  
minimalist  
design  
commercial  
spaces,  
enhancing the  
sense of  
welcome.

FLOOR:  
Venice Beige 120x60 naturale.  
  
WALL:  
Venice Ivory 20x20 levigato.  
Hilite Avenue Amber 300x100 naturale.





The background of the entire page is a terrazzo pattern. It consists of a light beige base with numerous small, irregular chips of various colors embedded within it. The colors include dark brown, black, light grey, and small flecks of orange and red. The chips are distributed throughout the entire surface, creating a dense, textured appearance.


VENICE

# BEIGE

## COZY ATMOSPHERES

An offering with understated style, warmed by a lightly reflective finish which lend minimalist designs in business settings brightness and increase cosiness.





FLOOR: Venice Beige 120x60 naturale. WALL: Venice Ivory 20x20 levigato. Hilite Avenue Amber 300x100 naturale.

**VENICE BEIGE**








## CONTEMPORARY CLASSIC

Graphics that capture the eye with a refined complexity: a tribute to an important history, reinterpreted with a typically contemporary flair, leaving an indelible mark of style in the most varied and demanding contemporary design settings.

54

WALL:  
Rialto Graphite 120x60 levigato.  
FLOOR:  
Rialto Graphite 120x60 naturale.





VENICE

RIALTO

# GRAPHITE

## CONTEMPORARY CLASSIC

Eye-catching looks for a elegantly complex design. A homage to a material with significant history, reinvented with a decidedly contemporary feel, which leaves its mark indelibly, bringing style to the most varied and demanding contemporary design settings.





FLOOR: Rialto Graphite 120x60 naturale. Rialto Zinc 120x60 levigato. WALL: Rialto Graphite 120x60 levigato.

**RIALTO GRAPHITE**







CELEBRATE  
EVERY DAY  
In its Pink  
version, Venice  
Villa is a  
concentration  
of energy, style,  
and color that  
reverberates  
throughout the  
rooms: the ideal  
atmosphere to  
celebrate every  
moment of your  
day.



FLOOR:  
Venice Pink 120x60 levigato.  
WALL:  
Venice Pink 120x60 naturale.



VENICE


RIALTO

**PINK**

CELEBRATE EVERYDAY

In the Pink version, Venice Villa offers a concentration of energy, style, and colour that reverberates through rooms, creating the ideal atmosphere in which to celebrate every moment of your everyday life.






FLOOR: Venice Pink 120x60 levigato. WALL: Venice Pink 120x60 naturale.

**VENICE PINK**













FLOOR: Rialto Pink 60x60 levigato. WALL: Rialto Pink 60x60 levigato.

**RIALTO PINK**



SURPRISING  
SURFACES

Venice Villa's  
diverse surfaces  
allow you to find  
the most suitable  
technical  
solution for  
every type of  
space, creating a  
striking sense of  
design continuity  
between interior  
and exterior  
spaces.

FLOOR:  
Venice Green 120x60 levigato.







VENICE

RIALTO

# GREEN


## AMAZING SURFACES

The different lines in the Venice Villa collection allow users to find the right technical features for different settings, while also ensuring outstanding design continuity between indoor and outdoor spaces.









FLOOR: Venice Green 120x60 levigato. FLOOR OUTDOOR: Venice Green 60x30 naturale.

**VENICE GREEN**



REFLECTS  
YOUR TASTE  
Vivacious colors  
and styles for a  
surface with  
extraordinary  
reflective power  
that creates  
captivating plays  
of light.  
To give the right  
accent to  
residential  
spaces.

68



FLOOR:  
Venice Coral 120x60 levigato





VENICE

RIALTO

# CORAL


## REFLECT YOUR MOOD

Vivacious tones and style for a material with extraordinary reflecting power that uses light to stunning effect. To set off homes to perfection.









FLOOR: Venice Coral 120x60 levigato.

**VENICE CORAL**



DRESSES  
THE SPACE  
Pastel shades  
revisit the flavor  
of the past with  
a delicate  
contemporary  
twist. For  
inspired color  
combinations  
between floors  
and walls that  
stylishly dress  
up sales display  
spaces.

FLOOR:  
Rialto Yellow 60x60 levigato.  
Rialto Silver levigato.







VENICE

RIALTO

# YELLOW

## DRESS THE SPACE

Pastel shades recreate flavours from the past with a subtle contemporary edge. For inspired colour combinations for floors and walls to dress the spaces of retail display settings.









FLOOR: Rialto Yellow 60x60 levigato. - Rialto Silver levigato.

**RIALTO YELLOW**



## RHAPSODY OF ELEGANCE

A touch of colorful elegance perfectly accentuates furnishings and design elements. Stylish vivacity, with light and subtle touches, creates spaces in which to spend pleasant moments in company.



FLOOR:  
Venice Blue 120x60 naturale.



VENICE

RIALTO

# BLUE

## RHAPSODY OF ELEGANCE

A hint of colourful elegance perfectly accents furnishings and design features. A vivacious style, with subtle, barely-there finishes, to create designs that are ideal for time spent enjoying the company of others.





FLOOR: Venice Blue 120x60 naturale. FLOOR OUTDOOR: Venice Blue 120x60 naturale.


**VENICE BLUE**







# VENICE WHITE


|                                                                                       |                                             | LEVIGATO | NATURALE | STRUTTURATO |
|---------------------------------------------------------------------------------------|---------------------------------------------|----------|----------|-------------|
|    | 150x75*<br>60"x30"                          | L175406  | P175406  | -           |
|    | 75x75*<br>30"x30"                           | L757406  | P757406  | -           |
|    | 120x120<br>48"x48"                          | L120406  | P120406  | -           |
|    | 120x60<br>48"x24"                           | L62406   | P62406   | ST62406     |
|    | 60x60<br>24"x24"                            | L66406   | P66406   | ST66406     |
|  | 60x30<br>24"x12"                            | L63406   | P63406   | ST63406     |
|  | 20x20<br>8"x8"                              | L20406   | -        | -           |
|                                                                                       |                                             |          |          |             |
| Gradino L60                                                                           |                                             |          |          |             |
|  | 60x30<br>24"x12"                            | -        | P36406   | -           |
| Battiscopa                                                                            |                                             |          |          |             |
|  | 60x7<br>24"x2 <sup>3</sup> / <sub>4</sub> " | L67406   | P67406   | -           |

\* disponibile per consegna il 31/12/2021  
available for delivery on 31/12/2021  
disponible pour des livraisons le 31/12/2021  
lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"



# RIALTO WHITE

|                                                                                     |                                                           | LEVIGATO | NATURALE | SABBIATO |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------|----------|----------|----------|
|    | 150x75*<br>60"x30"                                        | L175420  | P175420  | -        |
|    | 75x75*<br>30"x30"                                         | L757420  | P757420  | -        |
|    | 120x120<br>48"x48"                                        | L120420  | P120420  | -        |
|    | 120x60<br>48"x24"                                         | L62420   | P62420   | SB62420  |
|    | 60x60<br>24"x24"                                          | L66420   | P66420   | SB66420  |
|  | 20x20<br>8"x8"                                            | L20420   | -        | -        |
|  | Gradino L60<br>60x30<br>24"x12"                           | -        | P36420   | -        |
|  | Battiscopa<br>60x7<br>24"x2 <sup>3</sup> / <sub>4</sub> " | L67420   | P67420   | -        |


\* disponibile per consegne il 31/12/2021  
 available for delivery on 31/12/2021  
 disponible pour des livraisons le 31/12/2021  
 lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"





# VENICE ZINC

|                                                                                       |                                  | LEVIGATO | NATURALE | STRUTTURATO |
|---------------------------------------------------------------------------------------|----------------------------------|----------|----------|-------------|
|    | 150x75*<br>60"x30"               | L175405  | P175405  | -           |
|    | 75x75*<br>30"x30"                | L757405  | P757405  | -           |
|    | 120x120<br>48"x48"               | L120405  | P120405  | -           |
|    | 120x60<br>48"x24"                | L62405   | P62405   | ST62405     |
|    | 60x60<br>24"x24"                 | L66405   | P66405   | ST66405     |
|    | 60x30<br>24"x12"                 | L63405   | P63405   | ST63405     |
|  | 20x20<br>8"x8"                   | L20405   | -        | -           |
|  | Gradino L60<br>60x30<br>24"x12"  | -        | P36405   | -           |
|  | Battiscopa<br>60x7<br>24"x2 3/4" | L67405   | P67405   | -           |

Spessore Thickness: 10mm 3/8"


|                                                                                       |                     |             |             |   |
|---------------------------------------------------------------------------------------|---------------------|-------------|-------------|---|
|  | 270x120<br>106"x48" | L2712405MF6 | P2712405MF6 | - |
|  | 120x120<br>48"x48"  | L120405MF6  | P120405MF6  | - |

Spessore Thickness: 6mm 1/4"



# RIALTO

## ZINC

|                                                                                     |                                                           | LEVIGATO | NATURALE | SABBIATO |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------|----------|----------|----------|
|    | 150x75*<br>60"x30"                                        | L175419  | P175419  | -        |
|    | 75x75*<br>30"x30"                                         | L757419  | P757419  | -        |
|    | 120x120<br>48"x48"                                        | L120419  | P120419  | -        |
|    | 120x60<br>48"x24"                                         | L62419   | P62419   | SB62419  |
|    | 60x60<br>24"x24"                                          | L66419   | P66419   | SB66419  |
|  | 20x20<br>8"x8"                                            | L20419   | -        | -        |
|  | Gradino L60<br>60x30<br>24"x12"                           | -        | P36419   | -        |
|  | Battiscopa<br>60x7<br>24"x2 <sup>3</sup> / <sub>4</sub> " | L67419   | P67419   | -        |

\* disponibile per consegne il 31/12/2021  
available for delivery on 31/12/2021  
disponible pour des livraisons le 31/12/2021  
lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"



# VENICE SILVER

LEVIGATO NATURALE STRUTTURATO



150x75\*  
60"x30"

L175407

P175407

-



75x75\*  
30"x30"

L757407

P757407

-



120x120  
48"x48"

L120407

P120407

-



120x60  
48"x24"

L62407

P62407

ST62407



60x60  
24"x24"

L66407

P66407

ST66407



60x30  
24"x12"

L63407

P63407

ST63407




20x20  
8"x8"

L20407

-

-



Gradino L60

60x30  
24"x12"

-

P36407

-



Battiscopa

60x7  
24"x2<sup>3</sup>/<sub>4</sub>"

L67407

P67407


-

\* disponibile per consegna il 31/12/2021  
available for delivery on 31/12/2021  
disponible pour des livraisons le 31/12/2021  
lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"



# RIALTO SILVER

|                                                                                     |                                                           | LEVIGATO | NATURALE | SABBIATO |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------|----------|----------|----------|
|    | 150x75*<br>60"x30"                                        | L175421  | P175421  | -        |
|    | 75x75*<br>30"x30"                                         | L757421  | P757421  | -        |
|    | 120x120<br>48"x48"                                        | L120421  | P120421  | -        |
|    | 120x60<br>48"x24"                                         | L62421   | P62421   | SB62421  |
|    | 60x60<br>24"x24"                                          | L66421   | P66421   | SB66421  |
|  | 20x20<br>8"x8"                                            | L20421   | -        | -        |
|                                                                                     |                                                           |          |          |          |
|  | Gradino L60<br>60x30<br>24"x12"                           | -        | P36421   | -        |
|  | Battiscopa<br>60x7<br>24"x2 <sup>3</sup> / <sub>4</sub> " | L67421   | P67421   | -        |


\* disponibile per consegne il 31/12/2021  
available for delivery on 31/12/2021  
disponible pour des livraisons le 31/12/2021  
lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"





# VENICE GREY


|                                                                                       |                                                           | LEVIGATO | NATURALE | STRUTTURATO |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------|----------|----------|-------------|
|    | 150x75*<br>60"x30"                                        | L175408  | P175408  | -           |
|    | 75x75*<br>30"x30"                                         | L757408  | P757408  | -           |
|    | 120x120<br>48"x48"                                        | L120408  | P120408  | -           |
|    | 120x60<br>48"x24"                                         | L62408   | P62408   | ST62408     |
|    | 60x60<br>24"x24"                                          | L66408   | P66408   | ST66408     |
|  | 60x30<br>24"x12"                                          | L63408   | P63408   | ST63408     |
|  | 20x20<br>8"x8"                                            | L20408   | -        | -           |
|                                                                                       |                                                           |          |          |             |
|  | Gradino L60<br>60x30<br>24"x12"                           | -        | P36408   | -           |
|  | Battiscopa<br>60x7<br>24"x2 <sup>3</sup> / <sub>4</sub> " | L67408   | P67408   | -           |

\* disponibile per consegne il 31/12/2021  
 available for delivery on 31/12/2021  
 disponible pour des livraisons le 31/12/2021  
 lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"



# VENICE BEIGE

|                                                                                    |                                                           | LEVIGATO | NATURALE | STRUTTURATO |
|------------------------------------------------------------------------------------|-----------------------------------------------------------|----------|----------|-------------|
|    | 150x75*<br>60"x30"                                        | L175411  | P175411  | -           |
|    | 75x75*<br>30"x30"                                         | L757411  | P757411  | -           |
|    | 120x120<br>48"x48"                                        | L120411  | P120411  | -           |
|    | 120x60<br>48"x24"                                         | L62411   | P62411   | ST62411     |
|    | 60x60<br>24"x24"                                          | L66411   | P66411   | ST66411     |
|  | 60x30<br>24"x12"                                          | L63411   | P63411   | ST63411     |
|  | 20x20<br>8"x8"                                            | L20411   | -        | -           |
|  | Gradino L60<br>60x30<br>24"x12"                           | -        | P36411   | -           |
|  | Battiscopa<br>60x7<br>24"x2 <sup>3</sup> / <sub>4</sub> " | L67411   | P67411   | -           |

\* disponibile per consegna il 31/12/2021  
available for delivery on 31/12/2021  
disponible pour des livraisons le 31/12/2021  
lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"








88

# VENICE IVORY


|                                                                                       |                     | LEVIGATO    | NATURALE    | STRUTTURATO |
|---------------------------------------------------------------------------------------|---------------------|-------------|-------------|-------------|
|    | 150x75*<br>60"x30"  | L175410     | P175410     | -           |
|    | 75x75*<br>30"x30"   | L757410     | P757410     | -           |
|    | 120x120<br>48"x48"  | L120410     | P120410     | -           |
|    | 120x60<br>48"x24"   | L62410      | P62410      | ST62410     |
|    | 60x60<br>24"x24"    | L66410      | P66410      | ST66410     |
|   | 60x30<br>24"x12"    | L63410      | P63410      | ST63410     |
|  | 20x20<br>8"x8"      | L20410      | -           | -           |
| Gradino L60                                                                           |                     |             |             |             |
|  | 60x30<br>24"x12"    | -           | P36410      | -           |
| Battiscopa                                                                            |                     |             |             |             |
|  | 60x7<br>24"x2 3/4"  | L67410      | P67410      | -           |
| Spessore Thickness: 10mm 3/8"                                                         |                     |             |             |             |
|  | 270x120<br>106"x48" | L2712410MF6 | P2712410MF6 | -           |
|  | 120x120<br>48"x48"  | L120410MF6  | P120410MF6  | -           |

Spessore Thickness: 6mm 1/4"





# RIALTO IVORY

|                                                                                     |                                                           | LEVIGATO | NATURALE | SABBIATO |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------|----------|----------|----------|
|    | 150x75*<br>60"x30"                                        | L175424  | P175424  | -        |
|    | 75x75*<br>30"x30"                                         | L757424  | P757424  | -        |
|    | 120x120<br>48"x48"                                        | L120424  | P120424  | -        |
|    | 120x60<br>48"x24"                                         | L62424   | P62424   | SB62424  |
|    | 60x60<br>24"x24"                                          | L66424   | P66424   | SB66424  |
|  | 20x20<br>8"x8"                                            | L20424   | -        | -        |
|  | Gradino L60<br>60x30<br>24"x12"                           | -        | P36424   | -        |
|  | Battiscopa<br>60x7<br>24"x2 <sup>3</sup> / <sub>4</sub> " | L67424   | P67424   | -        |

\* disponibile per consegna il 31/12/2021  
available for delivery on 31/12/2021  
disponible pour des livraisons le 31/12/2021  
lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"





# VENICE EARTH

LEVIGATO NATURALE STRUTTURATO



150x75\*  
60"x30"

L175412

P175412

-



75x75\*  
30"x30"

L757412

P757412

-



120x120  
48"x48"

L120412

P120412

-



120x60  
48"x24"

L62412

P62412

ST62412



60x60  
24"x24"

L66412

P66412

ST66412



60x30  
24"x12"

L63412

P63412

ST63412




20x20  
8"x8"

L20412

-

-



Gradino L60

60x30  
24"x12"

-

P36412

-



Battiscopa

60x7  
24"x2<sup>3</sup>/<sub>4</sub>"

L67412

P67412


-

\* disponibile per consegne il 31/12/2021  
available for delivery on 31/12/2021  
disponible pour des livraisons le 31/12/2021  
lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"



# RIALTO EARTH

|                                                                                     |                                                           | LEVIGATO | NATURALE | SABBIATO |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------|----------|----------|----------|
|    | 150x75*<br>60"x30"                                        | L175426  | P175426  | -        |
|    | 75x75*<br>30"x30"                                         | L757426  | P757426  | -        |
|    | 120x120<br>48"x48"                                        | L120426  | P120426  | -        |
|    | 120x60<br>48"x24"                                         | L62426   | P62426   | SB62426  |
|    | 60x60<br>24"x24"                                          | L66426   | P66426   | SB66426  |
|  | 20x20<br>8"x8"                                            | L20426   | -        | -        |
|  | Gradino L60<br>60x30<br>24"x12"                           | -        | P36426   | -        |
|  | Battiscopa<br>60x7<br>24"x2 <sup>3</sup> / <sub>4</sub> " | L67426   | P67426   | -        |

\* disponibile per consegna il 31/12/2021  
available for delivery on 31/12/2021  
disponible pour des livraisons le 31/12/2021  
lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"





# VENICE GRAPHITE

LEVIGATO NATURALE STRUTTURATO

|                                                                                     |                    |         |         |   |
|-------------------------------------------------------------------------------------|--------------------|---------|---------|---|
|  | 150x75*<br>60"x30" | L175409 | P175409 | - |
|-------------------------------------------------------------------------------------|--------------------|---------|---------|---|

|                                                                                     |                   |         |         |   |
|-------------------------------------------------------------------------------------|-------------------|---------|---------|---|
|  | 75x75*<br>30"x30" | L757409 | P757409 | - |
|-------------------------------------------------------------------------------------|-------------------|---------|---------|---|


|                                                                                     |                    |         |         |   |
|-------------------------------------------------------------------------------------|--------------------|---------|---------|---|
|  | 120x120<br>48"x48" | L120409 | P120409 | - |
|-------------------------------------------------------------------------------------|--------------------|---------|---------|---|

|                                                                                     |                   |        |        |         |
|-------------------------------------------------------------------------------------|-------------------|--------|--------|---------|
|  | 120x60<br>48"x24" | L62409 | P62409 | ST62409 |
|-------------------------------------------------------------------------------------|-------------------|--------|--------|---------|

|                                                                                     |                  |        |        |         |
|-------------------------------------------------------------------------------------|------------------|--------|--------|---------|
|  | 60x60<br>24"x24" | L66409 | P66409 | ST66409 |
|-------------------------------------------------------------------------------------|------------------|--------|--------|---------|

|                                                                                       |                  |        |        |         |
|---------------------------------------------------------------------------------------|------------------|--------|--------|---------|
|  | 60x30<br>24"x12" | L63409 | P63409 | ST63409 |
|---------------------------------------------------------------------------------------|------------------|--------|--------|---------|

|                                                                                       |                |        |   |   |
|---------------------------------------------------------------------------------------|----------------|--------|---|---|
|  | 20x20<br>8"x8" | L20409 | - | - |
|---------------------------------------------------------------------------------------|----------------|--------|---|---|

|                                                                                       |                                 |   |        |   |
|---------------------------------------------------------------------------------------|---------------------------------|---|--------|---|
|  | Gradino L60<br>60x30<br>24"x12" | - | P36409 | - |
|---------------------------------------------------------------------------------------|---------------------------------|---|--------|---|


|                                                                                       |                                                           |        |        |   |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------|--------|--------|---|
|  | Battiscopa<br>60x7<br>24"x2 <sup>3</sup> / <sub>4</sub> " | L67429 | P67409 | - |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------|--------|--------|---|

\* disponibile per consegne il 31/12/2021  
available for delivery on 31/12/2021  
disponible pour des livraisons le 31/12/2021  
lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"




# RIALTO GRAPHITE


|                                                                                     |                                                           | LEVIGATO | NATURALE | SABBIATO |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------|----------|----------|----------|
|    | 150x75*<br>60"x30"                                        | L175423  | P175423  | -        |
|    | 75x75*<br>30"x30"                                         | L757423  | P757423  | -        |
|    | 120x120<br>48"x48"                                        | L120423  | P1200423 | -        |
|    | 120x60<br>48"x24"                                         | L62423   | P62423   | SB62423  |
|    | 60x60<br>24"x24"                                          | L66423   | P66423   | SB66423  |
|  | 20x20<br>8"x8"                                            | L20423   | -        | -        |
|  | Gradino L60<br>60x30<br>24"x12"                           | -        | P36423   | -        |
|  | Battiscopa<br>60x7<br>24"x2 <sup>3</sup> / <sub>4</sub> " | L67423   | P67423   | -        |

\* disponibile per consegne il 31/12/2021  
 available for delivery on 31/12/2021  
 disponible pour des livraisons le 31/12/2021  
 lieferbar ab dem 31.12.2021

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"







# VENICE PINK

|                                                                                     |                   | LEVIGATO | NATURALE | STRUTTURATO |
|-------------------------------------------------------------------------------------|-------------------|----------|----------|-------------|
|  | 120x60<br>48"x24" | L62414   | P62414   | -           |
|  | 60x60<br>24"x24"  | L66414   | P66414   | -           |

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"



# RIALTO\*

## PINK


|                                                                                   |                   | LEVIGATO | NATURALE | SABBIATO |
|-----------------------------------------------------------------------------------|-------------------|----------|----------|----------|
|  | 120x60<br>48"x24" | L62427   | P62427   | -        |
|  | 60x60<br>24"x24"  | L66427   | P66427   | -        |

\* Disponibile su richiesta  
Available on request  
Disponible sur demande  
Auf Anfrage lieferbar

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"







# VENICE GREEN

|                                                                                     |                   | LEVIGATO | NATURALE | STRUTTURATO |
|-------------------------------------------------------------------------------------|-------------------|----------|----------|-------------|
|  | 120x60<br>48"x24" | L62415   | P62415   | -           |
|  | 60x60<br>24"x24"  | L66415   | P66415   | -           |

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"



# RIALTO\* GREEN


|                                                                                   |                   | LEVIGATO | NATURALE | SABBIATO |
|-----------------------------------------------------------------------------------|-------------------|----------|----------|----------|
|  | 120x60<br>48"x24" | L62428   | P62428   | -        |
|  | 60x60<br>24"x24"  | L66428   | P66428   | -        |

\* Disponibile su richiesta  
Available on request  
Disponible sur demande  
Auf Anfrage lieferbar

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"







# VENICE CORAL

|                                                                                     |                   | LEVIGATO | NATURALE | STRUTTURATO |
|-------------------------------------------------------------------------------------|-------------------|----------|----------|-------------|
|  | 120x60<br>48"x24" | L62416   | P62416   | -           |
|  | 60x60<br>24"x24"  | L66416   | P66416   | -           |

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"




# RIALTO\* CORAL


|                                                                                   |                   | LEVIGATO | NATURALE | SABBIATO |
|-----------------------------------------------------------------------------------|-------------------|----------|----------|----------|
|  | 120x60<br>48"x24" | L62429   | P62429   | -        |
|  | 60x60<br>24"x24"  | L66429   | P66429   | -        |

\* Disponibile su richiesta  
Available on request  
Disponible sur demande  
Auf Anfrage lieferbar

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"







# VENICE YELLOW

|                                                                                     |                   | LEVIGATO | NATURALE | STRUTTURATO |
|-------------------------------------------------------------------------------------|-------------------|----------|----------|-------------|
|  | 120x60<br>48"x24" | L62417   | P62417   | -           |
|  | 60x60<br>24"x24"  | L66417   | P66417   | -           |

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"



# RIALTO\* YELLOW


|                                                                                   |                   | LEVIGATO | NATURALE | SABBIATO |
|-----------------------------------------------------------------------------------|-------------------|----------|----------|----------|
|  | 120x60<br>48"x24" | L62430   | P62430   | -        |
|  | 60x60<br>24"x24"  | L66430   | P66430   | -        |

\* Disponibile su richiesta  
Available on request  
Disponible sur demande  
Auf Anfrage lieferbar

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"







# VENICE BLUE

|             |                   | LEVIGATO | NATURALE | STRUTTURATO |
|-------------|-------------------|----------|----------|-------------|
| <div></div> | 120x60<br>48"x24" | L62418   | P62418   | -           |
| <div></div> | 60x60<br>24"x24"  | L66418   | P66418   | -           |

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"



# RIALTO\*

## BLUE

|                                                                                   |                   | LEVIGATO | NATURALE | SABBIATO |
|-----------------------------------------------------------------------------------|-------------------|----------|----------|----------|
|  | 120x60<br>48"x24" | L62431   | P62431   | -        |
|  | 60x60<br>24"x24"  | L66431   | P66431   | -        |

\* Disponibile su richiesta  
Available on request  
Disponible sur demande  
Auf Anfrage lieferbar

Spessore Thickness: 10mm <sup>3</sup>/<sub>8</sub>"





# Active surfaces on demand



The exclusive ACTIVE SURFACES™ eco-active finish with antibacterial, antiviral, and anti-pollution properties.

ACTIVE SURFACES™ is the only ISO-certified and internationally patented eco-active ceramic, successfully used worldwide for 10 years.

Effective against SARS-CoV-2 viruses

A study by the Department of Biomedical, Surgical, and Dental Sciences and the Department of Biomedical Sciences for Health at the University of Milan has highlighted the ability of ACTIVE SURFACES™ to eliminate 94% of SARS-CoV-2 after just 4 hours of exposure to low-intensity UV light (natural light and traditional light bulbs, even at low intensity).





---

NESSUN RIPARO  
PER SPORCO E BATTERI



---

NO HAVENS  
FOR DIRT AND BACTERIA

---

IGIENIZZABILE  
CON VAPORE, LAVABILE CON  
MOTOSCOPE



---

SANITISABLE WITH STEAM,  
WASHABLE WITH A POWER SWEEPER

---

ZERO SOSTANZE  
NOCIVE




---

ZERO HARMFUL  
SUBSTANCES

---

RESISTENTE AL FUOCO  
E AL CALORE



---

RESISTANCE TO HEAT  
AND FIRE

POWERFUL CLEANERS  
WITHOUT PROBLEMS

EXCEPTIONAL  
DURABILITY OVER  
TIME

ECO-FRIENDLY



---

ENERGETIC CLEAN PRODUCTS?  
NO PROBLEM



---

OUTSTANDING  
DURABILITY



---

MORE ECOLOGICAL









Caratteristiche tecniche Technical features

|                                                                                    | PROPRIETÀ FISICO-CHIMICHE<br>PHYSICAL-CHEMICAL PROPERTIES<br>PROPRIETES PHYSICO - CHIMIQUES<br>PHYSISCH - CHEMISCHE EIGENSCHAFTEN                                 | TIPO DI PROVA<br>STANDARD OF TEST<br>NORME DU TEST<br>TESTNORM | VALORE PRESCRITTO<br>REQUIRED VALUE<br>VALEUR PRESCRITE<br>VORGESCHRIEBENER WERT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | VALORE MEDIO FMG<br>FMG AVERAGE VALUE<br>VALEUR MOYENNE FMG<br>MITTELWERT FMG                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | Dimensioni<br>Sizes<br>Dimensions<br>Abmessungen                                                                                                                  | ISO 10545.2                                                    | Lunghezza e larghezza - Length and width - Longueur et largeur - Länge und Breite                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | ± 0,6% max ± 0,1%                                                                                                                                                                                                                                                               |
|                                                                                    |                                                                                                                                                                   |                                                                | Spessore - Thickness - Epaisseur - Dicke                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ± 5% max ± 5%                                                                                                                                                                                                                                                                   |
|                                                                                    |                                                                                                                                                                   |                                                                | Rettilinearità spigoli - Linearity - Rectitude des arêtes - Kantengeradheit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | ± 0,5% max ± 0,1%                                                                                                                                                                                                                                                               |
|                                                                                    |                                                                                                                                                                   |                                                                | Ortogonalità - Wedging - Orthogonalité - Rechtwinkligkeit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ± 0,5% max ± 0,1%                                                                                                                                                                                                                                                               |
|                                                                                    |                                                                                                                                                                   |                                                                | Planarità - Warpage - Planéité - Ebenflächigkeit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | ± 0,5% max ± 0,2%                                                                                                                                                                                                                                                               |
|    | Assorbimento d'acqua<br>Water absorbtion<br>Absorption d' eau<br>Wasserhaufnahme                                                                                  | ISO 10545.3                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ≤ 0,5% ≤ 0,06%                                                                                                                                                                                                                                                                  |
|    | Resistenza alla flessione<br>Flexion resistance<br>Résistance à la flexion<br>Biegezugfestigkeit                                                                  | ISO 10545.4                                                    | Modulo di rottura (R)<br>Breaking modulus (R)<br>Module de rupture (R)<br>Bruchmodul (R)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ≥ 35 N/mm² 49 N/mm²                                                                                                                                                                                                                                                             |
|                                                                                    |                                                                                                                                                                   |                                                                | Sforzo di rottura (S)<br>Breaking strenght (S)<br>Charge de rupture (S)<br>Bruchkraft (S)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Spessore / Thickness / Epaisseur / Stärke<br>a) ≥ 7,5mm = ≥ 1300 N<br>b) < 7,5mm = ≥ 700 N<br>Conforme / Conforms / Conforme / Konform                                                                                                                                          |
|    | Resistenza all'abrasione profonda<br>Deep abrasion resistance<br>Résistance à l'abrasion profonde<br>Beständigkeit gegen tiefenabrieb                             | ISO 10545.6                                                    | Max 175 mm³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 140 mm³                                                                                                                                                                                                                                                                         |
|    | Coefficiente di dilatazione termica lineare<br>Coefficient of linear thermal-expansion<br>Coefficient linéaire de dilatation thermique<br>Lineare Wärmeausdehnung | ISO 10545.8                                                    | Metodo disponibile<br>Test method available<br>Methode diponible<br>Verfügbares verfahren                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 6,5x10 <sup>-6</sup> °C <sup>-1</sup>                                                                                                                                                                                                                                           |
|    | Resistenza al gelo<br>Frost resistance<br>Résistance au gel<br>Frostwiderstandsfähigkeit                                                                          | ISO 10545.12                                                   | Non devono presentare rotture od alterazioni apprezzabili della superficie<br>Must not produce noticeable alteration to surface<br>Ne doivent pas présenter des ruptures ou altérations trop importantes de la surface<br>Oberflächen dürfen, keinen Bruch oder Schaden aufweisen                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Conforme<br>Conforms<br>Conforme<br>Konform                                                                                                                                                                                                                                     |
|    | Resistenza ai prodotti chimici<br>Chemical resistance<br>Résistance aux produits chimiques<br>Chemikalienfestigkeit                                               | ISO 10545.13                                                   | Resistenza prodotti chimici uso domestico e additivi per piscina (min. classe B) -<br>Resistenza acidi a bassa concentrazione - Resistenza acidi ad alta concentrazione<br>Resistance to household chemicals and pool additives (min. class B) - Resistance to<br>acids at low concentration - Resistance to highly concentrated acid products<br>Résistance aux produits chimiques, usage domestique et additifs pour piscine<br>( classe B minimum ) - Résistance aux acides à concentration faible - Résistance aux<br>acides à concentration élevée<br>Haushaltschemikalien und Pooladditive Beständigkeit (min. Klasse B) -<br>Säurebeständigkeit in niedriger Konzentration - Hochkonzentrierte Säurebeständigkeit<br>1 < x < 5 | Disponibili a richiesta le classificazioni di ogni singolo articolo<br>Classifications for single items available on request<br>Les classifications de chaque article sont disponibles sur demande<br>Klassifizierungen für jeden einzelnen Artikel sind auf Anfrage erhältlich |
|                                                                                    |                                                                                                                                                                   |                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                 |
|  | Resistenza alle macchie<br>Stain resistance<br>Résistance aux taches<br>Chemikalienfestigkeit                                                                     | ISO 10545.14                                                   | Metodo disponibile<br>Test method available<br>Methode didponible<br>Verfügbares verfahren                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Disponibili a richiesta le classificazioni di ogni singolo articolo<br>Classifications for single items available on request<br>Les classifications de chaque article sont disponibles sur demande<br>Klassifizierungen für jeden einzelnen Artikel sind auf Anfrage erhältlich |
|  | Resistenza dei colori alla luce<br>Color resistance to light<br>Résistance de la couleur à la lumière<br>Lichtbeständigkeit                                       | DIN 51094                                                      | Metodo disponibile<br>Test method available<br>Methode diponible<br>Verfügbares verfahren                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Superficie inalterata<br>Unaffected surface<br>Surface Inalteree<br>Oberfläche Unverändert                                                                                                                                                                                      |
|  | Coefficiente di attrito (scivolosità)<br>Friction coefficient (slipperiness)<br>Coefficient de friction (glissement)<br>Reibungskoeffizient (Schlüpfrigkeit)      | BCR<br>DM 236/89                                               | Metodo disponibile<br>Test method available<br>Methode diponible<br>Verfügbares verfahren                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Disponibili a richiesta le classificazioni di ogni singolo articolo<br>Classifications for single items available on request<br>Les classifications de chaque article sont disponibles sur demande<br>Klassifizierungen für jeden einzelnen Artikel sind auf Anfrage erhältlich |
|                                                                                    |                                                                                                                                                                   | DIN 51130                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                 |

LASTRE INDUSTRIALI A TUTTA MASSA IN GRÈS PORCELLANATO TECNICO - FULL-BODY INDUSTRIAL SLABS IN TECHNICAL PORCELAIN STONWARE

Classificazione Gruppo Bia secondo le norme EN 14411 AII. G e ISO 13006 AII. G

Classification Bia Group in accordance with EN 14411 annex G and ISO 13006 annex G

\* **I prodotti con assorbimento < 0,5 sono classificati secondo le norme UNI CEN “Fully vitrified tiles” e secondo le norme ASTM “Imprevious tiles”**

The products having an absorption < 0,5 are classified according to the UNI CEN standards “Fully vitrified tiles” and according to the ASTM standards “Imprevious tiles”

\*\* **Varia secondo la finitura di superficie** - It can vary according to the surface finish

CLASSIFICAZIONE DI RESISTENZA ALLA SCIVOLOSITÀ  
SLIP RESISTANCE CLASSIFICATION  
RÉSISTANCE AU GLISSEMENT  
KLASSIFIZIERUNG DER RUTSCHFESTIGKEIT

Classificazione resistenza allo scivolamento DIN51130  
Slip resistance classification DIN51130  
Résistance au glissement DIN51130  
Klassifizierung der rutschfestigkeit DIN51130

| COLLEZIONE<br>COLLECTION<br>COLLECTION<br>KOLLEKTION | FINITURA<br>FINISH<br>FINISH<br>OBERFLÄCHEN<br>AUSFÜHRUNG FINITION |
|------------------------------------------------------|--------------------------------------------------------------------|
|                                                      | NATURALE R10                                                       |
| VENICE VILLA<br>VENICE / RIALTO                      | STRUTTURATA R11                                                    |
|                                                      | SABBIATA R11                                                       |

R10 10° - 19°

R11 19° - 27°

n.b: I valori di resistenza allo scivolamento, coefficiente di attrito statico o dinamico, riportati sul catalogo e nella tabella Safe System sono da ritenersi puramente indicativi e non vincolanti. Ogni eventuale specifica necessità dovrà essere da noi confermata al momento dell'ordine e comunque sempre prima della posa. n.b: Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation. n.b: Les valeurs de résistance au glissement, le coefficient de frottement statique ou dynamique, indiqués sur le catalogue et sur le tableau Safe System (Système de Sécurité) doivent être considérés comme purement indicatifs et ne sauraient engager notre responsabilité. Toutes les éventuelles spécifications nécessaires devront faire l'objet d'une confirmation de notre part au moment de la commande et en tout état de cause avant la pose. Anm.: Die Werte für die Rutschfestigkeit, also des statischen oder dynamischen Reibungskoeffizienten, die im Katalog oder in der Tabelle Safe System aufgeführt sind, sind als unverbindliche Richtwerte anzusehen. Alle spezifischen Anforderungen müssen von uns bei der Bestellung und in jedem Fall vor der Verlegung immer bestätigt werden.





Exclusive to Ceratile

[www.ceratile.co.za](http://www.ceratile.co.za)